


**MADE IN  
FRANCE**
**COMPATIBLE WITH  
M18 & M28 BATTERIES**

Part of the Greenspirit II range,  
our complete extrication solution

# SPREADER MS GREENSPIRIT II

**Battery-powered spreader**  
**Spreading, pulling and squeezing**

## Technical information

| Model                   | SPREADER GREENSPIRIT II MS |
|-------------------------|----------------------------|
| Dimensions (L x W x H)  | 912 x 250 x 222 mm         |
| Spreading distance      | 610 mm                     |
| Spreading force         | 44 - 857 kN                |
| Pulling width           | 465 mm                     |
| Maximum pulling force   | 68 kN                      |
| Maximum squeezing force | 149 kN                     |
| Weight (with battery)   | 18,1 kg                    |
| Nominal pressure        | 700 bar                    |
| EN 13204 class          | AS44/610-18,1              |

*As part of the improvement of its products, Scorpe reserves the right to modify the specifications without prior notice. Non-contractual photo.*

## Characteristics

### ROBUSTNESS AND SAFETY

- Reinforced composite casing
- Removable waterproof cover for a complete protection of the battery
- Strong arms equipped with carbide tips and grooves for optimal grip
- 4 LED lights to illuminate the working area
- Control handle far away from the On/Off switch for optimal safety

### ERGONOMIC AND AUTONOMOUS

- Compact, light and balanced
- Compatible with M18 battery (M28 via adapter, other batteries upon request)
- Same battery on all tools
- Battery available at all Milwaukee dealers

### EASE OF USE

- Intuitive ON/OFF switch with built-in light
- Asymmetrical control handle for an easier recognition of the opening direction
- Easy and quick battery insertion and replacement

## Accessories



**Li-ion battery  
18 V – 8 Ah**



**220 V charger**



**Power supply**



**Transport bag**



**M18 to M28 Scorpe  
Technologies battery adapter**



**Set of chains**