

**MADE IN
FRANCE**

**COMPATIBLE WITH
M18 & M28 BATTERIES**



Waterproof cover included

SPREADER MS GREENSPIRIT II WATERPROOF

Battery-powered spreader
Spreading, pulling and squeezing

Technical information

Model	SPREADER GREENSPIRIT II MS
Dimensions (L x W x H)	912 x 250 x 222 mm
Spreading distance	610 mm
Spreading force	44 - 857 kN
Pulling width	465 mm
Maximum pulling force	68 kN
Maximum squeezing force	149 kN
Weight (with battery)	18,1 kg
Nominal pressure	700 bar
EN 13204 class	AS44/610-18,1
Ingress protection rating	IP67
Max. immersion depth	1m
Max. immersion time	30 min

As part of the improvement of its products, Scorpe reserves the right to modify the specifications without prior notice. Non-contractual photo.

Characteristics

ROBUSTNESS AND SAFETY

- Reinforced composite casing
- Removable waterproof cover for a complete protection of the battery
- Strong arms equipped with carbide tips and grooves for optimal grip
- 4 LED lights to illuminate the working area
- Control handle far away from the On/Off switch for optimal safety

ERGONOMIC AND AUTONOMOUS

- Compact, light and balanced
- Compatible with M18 battery (M28 via adapter, other batteries upon request)
- Same battery on all tools
- Battery available at all Milwaukee dealers

EASE OF USE

- Intuitive ON/OFF switch with built-in light
- Asymmetrical control handle for an easier recognition of the opening direction
- Easy and quick battery insertion and replacement

WATERPROOFING AND DURABILITY

- IP67 certified: fully dust-tight and waterproof
- Can be submerged up to 1 m deep for a maximum of 30 min
- Remains operational in rain, flooded areas, mud or debris
- Simply rinse with water after each intervention

Accessories



**Li-ion battery
18 V – 8 Ah**



220 V charger



Power supply



Transport bag



**M18 to M28 Scorpe
Technologies battery adapter**



Set of chains