



SCORP'EYE 2

Intelligent structural monitoring, millimeter-precise and engineered for field operations.

The SCORP'EYE 2 monitors at-risk structures in real time with a motorized laser, a 110 dB alarm, up to 24 hours of battery life, and rapid deployment.

A compact, highly reliable solution designed for the most demanding environments



Exclusive Multi-Point Monitoring

Secure large sensitive structures using a single device to scan multiple points.



Dedicated Remote Control

Operate and monitor the system safely from outside the danger zone.



Precision

Detects movements down to 1 mm with custom alarm thresholds.



Milwaukee M18 Powered

Uses standard M18 batteries for instant compatibility across your Scorp'e fleet.



Custom Safe Zones

Set alarm-free work areas without pausing site monitoring.



Instant Wireless Setup

Rugged and cable-free, Scorp'Eye 2 is operational in seconds using its built-in screen and joystick.

Deploy in seconds. **Target** with 1mm precision. **Monitor** with absolute confidence



SCORP'EYE 2

Monitoring device for high-risk structures

Characteristic

BATTERY: Powered by a Milwaukee M18 battery.

ERGONOMIC: Powerful dual-color double visual alarm, in addition to the audible alarm (110 dB). The Scorp'Eye is wireless, facilitating its use and transport.

MOTORIZED LASER: Allows the control panel to remain in front of the user (Range of motion: 60° vertical and 90° horizontal).

ROBUST: Reinforced impact protection, Manfrotto tripod.

EASY TO USE: Thanks to its control screen and joystick, the Scorp'Eye laser rangefinder is operational in just a few seconds. No cables to connect.

ADAPTABLE: Scorp'Eye can be set up with its tripod, from 10 m to 50 m away from the target. The green positioning laser allows for precise beam alignment, even in broad daylight.

OPTIONS: - Remote alarm box (rechargeable directly via the Scorp'Eye).
- Wired mains power supply.

Technical Informations

Material	Aluminum
Recommended target range	30-50 meters
Motion detection	2 mm to 100 mm
Battery life	Up to 24 hours
Visual alarm	Dual-color (red and amber)
Audio alarm	2 x 110 dB
Aluminum Manfrotto Tripod	31 cm to 152 cm
Dimensions	280 x 130 x 190 mm
Weight (with case)	8.4 kg
Device weight (without battery)	4,5 kg